

Deploying WebGUI

Like having a baby



Disclaimer



Planning conception

- ✓ Know what you want from your baby
 - ✓ Think of a name
 - ✓ Parent expectations (most newborn babies are ugly)
-

Buying all babystuff

- A babyroom (datacenter)
 - A stroller and a bed (hardware)
 - Diapers (disaster recovery plan)
-

A babyroom

- The right temperature
 - A safe place
 - Remote access
 - Room for a bigger bed
-

A stroller and a bed

- ❑ The most expensive stroller (server)
- ❑ The most practical stroller (server)
- ❑ A safe and secure bed (storage)



Diapers and tissues

- ❑ The baby will fall down so watch out for it
(crash recovery)
 - ❑ The baby will shit and spit and you will have to clean all of that up
(logfiles and memory usage)
 - ❑ The baby will hurt itself
(disaster recovery)
-

Watching your baby grow

- ✓ Measure it's performance
 - ✓ Make sure it has enough room
 - ✓ Daytime care
 - ✓ After school activities
-

Measure it's performance

- Encourage the baby (tuning)
 - Set realistic goals
 - Measure automatically (cacti, snmp)
-

A babyroom is not a toddler one

- ❑ Babies tend to grow (heavy usage)
 - ❑ You might have to use a bigger bed (diskspace, ram)
 - ❑ Bigger babies need more food (network, power)
-

Daytime care

- Have someone to watch your baby (monitoring)
 - Let your baby play together with other children (cluster and loadbalance)
-

Afterschool activities

- Upgrade your children
 - Grave maintenance jobs
 - Adding new features
-

Discussion?!
